



2021 Quality Measures Technical Specifications

Risk Corridor Quality Measures for MCO Contracts, Version 2

03/08/2021

dhs.healthcare.resea@state.mn.us



For accessible formats of this information or assistance with additional equal access to human services, write to X@X.X, call XXX-XXX-XXXX, or use your preferred relay service. ADA1 (2-18)

Printed with a minimum of 10 percent post-consumer material. Please recycle.

Mark Foresman, Ph.D., Research and Data Analysis Supervisor

Minnesota Department of Human Services

Health Care Research and Quality

540 Cedar Avenue

St. Paul, MN 55101-2208

Telephone: (651) 431-6324

Fax: (651) 431-7422

Email: mark.foresman@state.mn.us

Upon request, this material will be made available in an alternative format such as large print, Braille or audio recording. Printed on recycled paper.

Table of Contents

2021 Quality Measures Technical Specifications	1
Table of Contents	3
Risk Corridor Quality Incentive Measures	4
Measurement Technical Specifications	4
Points Calculation	6
Breast Cancer Screening	8
Colorectal Cancer Screening	10
Childhood Immunization Status (Combo 10)	12
Well Child Visits in First 30 Months (W30)	13
Child & Adolescent Well Visits (WCV)	16
Comprehensive Diabetes Care: HbA1c Screening	18
Asthma Medication Ratio	20
Follow-up after Hospitalization for Mental Illness	22
Initiation and Engagement of Alcohol, Opioids, and Other Drug Dependence Treatment	24
Antidepressant Medication Management: Acute Phase and Continuation Phase	28
Plan All-Cause Readmissions: 1 to 3 Index Hospital Stays	32
Ambulatory Care: Emergency Department	33

Risk Corridor Quality Incentive Measures

MCO shall be eligible for an adjustment to the risk corridor calculation in the contract sections titled “HMOs and CBPs; Quality Incentive” if quality measurement scores below are met or exceeded. The measures have been selected to address and improve healthcare disparity gaps among MCO enrollees. Enrollees without identified race or ethnicity will be excluded from the measure calculations. Note: How to deal with changing measures will be addressed in the technical specifications document following discussion in DHS/MCO work group meeting.

Measurement Technical Specifications

The specifications for the measures are based on the National Committee for Quality Assurance (NCQA) Healthcare Effectiveness Data and Information Set (HEDIS) 2020 technical specifications. To preserve the validity of comparisons between years, the STATE will not consider changes to the HEDIS 2020 specifications unless the changes would significantly influence this measure’s dependability. The calculation of the rates for the HEDIS measures will follow the NCQA technical specifications. **NOTE:** The W30 and WCV measures will replace the W15 and W34 measures respectively.

List of Measures

Category	Measure	Age Group	Contract
Prevention and Screening	Breast Cancer Screening	52 to 74 years	F&C/MNCare, Seniors, SNBC
Prevention and Screening	Colorectal Cancer Screening	51 to 75 years	F&C/MNCare, Seniors, SNBC
Prevention and Screening	Childhood Immunization Status (Combo 10)	2 years old	F&C/MNCare
Access to Care	Well Child Visits in First 30 Months: 6 or more visits	0 to 30 months	F&C/MNCare
Access to Care	Child & Adolescent Well-Visits	3 to 21 years	F&C/MNCare
Care for At-Risk Populations	Comprehensive Diabetes Care: HbA1c Screening	18 to 75 years	F&C/MNCare, Seniors, SNBC
Care for At-Risk Populations	Asthma Medication Ratio	5 to 64 years	F&C/MNCare, SNBC
Behavioral Health	Follow-up After Hospitalization for Mental Illness	6 years and older	F&C/MNCare, SNBC
Behavioral Health	Initiation and Engagement of Alcohol, Opioids, and Other Drug Dependence Treatment	13 years and older	F&C/MNCare, Seniors, SNBC
Behavioral Health	Antidepressant Medication Management: Acute Phase and Continuation Phase	18 years and older	F&C/MNCare, Seniors, SNBC
Utilization	Plan All-Cause Readmissions: 1 to 3 Index Hospital Stays	18 to 64 years	SNBC
Utilization	Ambulatory Care: Emergency Department	All	SNBC

Grouping of Enrollees: Race and Ethnicity

Enrollees for each MCO will be grouped by both race and ethnicity according to DHS enrollment data. For enrollees selecting more than one race, they are assigned to one race category beginning with the group of lowest representation based on distribution of race among Minnesota Health Care Program enrollees. Data from calendar year 2019 show that the racial composition of state health care program enrollees is Native American (3%), Asian/Pacific Islander (6.7%), Black (17.6%), White (55.2%), two or more races (3.8%), and Unknown (13.7%).

Ethnicity	Race (Hierarchy)	Two or More races (reporting only, no points)
Hispanic	<ol style="list-style-type: none">1. Native American/Alaska Native2. Asian/Pacific Islander3. Black/African American4. Non-Hispanic White*5. Unknown	Multi-racial

* For risk corridor analysis, DHS will compare the Hispanic ethnicity group and other race groups to the reference population (White). Separating race and ethnicity means that the reference population cannot include Hispanics; therefore, the reference population will be Non-Hispanic White.

For example, a person who reports as Hispanic and a race (alone) will be categorized as Hispanic and one race. If a person reports multiple races, then the person is assigned to one race (e.g. Native American and Black is assigned to Native American; Black and Non-Hispanic White is assigned to Black). Additionally, this person will be reported as multi-racial (only for reporting purposes, no points assigned).

Enrollees who report no race (i.e., 'Unknown' race) are counted in the overall rates for measures. They are not reported separately as a category. If possible, DHS will augment the data with race/ethnicity data reported in MAXIS in order to reduce the number of records missing race/ethnicity values. As reliable data become available, DHS will consider modification to the assignment of race, ethnicity, or expanding the list of racial/ethnic groups.

Reporting Multi-racial

For calculating points, an individual will be assigned to the least common category of race. Points will only be awarded once for that individual. For example if a person identifies as Native American and Black, then that person shall be counted amongst the Native American enrollees for that MCO. DHS will report the results for the multi-racial category for reference purposes only.

Ethnicity and Race Disparity Gap Measurement

DHS will separate the Hispanic ethnic group from the non-white race groups. In order to calculate healthcare disparities note that a person who identifies as non-white and Hispanic will be counted in the non-white group for the race disparity gap and also in the Hispanic ethnicity disparity gap.

Points Calculation

The STATE will calculate quality measures by the administrative method using encounter data. The MCO rate for each measure shall be assessed for both achievement and improvement as defined below.

Improvement Points

Each measure stratified by race and ethnicity groups (Asian/Pacific Islander, Black, Hispanic, Native American, and Non-Hispanic White) shall be assessed against a baseline disparity gap with the Non-Hispanic White population.

For each disparity gap that improves by a net value of fifty percent (50%) or more compared to the baseline-stratified rate, the MCO shall be awarded two (2) points.

For each disparity gap that worsens by a net value of fifty percent (-50%) or more compared to the baseline-stratified rate, the MCO shall lose two (2) points.

For each disparity gap that changes in net value between +/- 50% compared to the baseline-stratified rate, between zero (0) and two (2) points shall be assigned according to the following ranges:

Percent (%) Relative Change	Points Awarded
< -50%	-2.0
-40% to -49.9%	-1.75
-30% to -39.9%	-1.5
-20% to -29.9%	-1.25
-10% to -19.9%	-1.0
-9.9% to 9.9%	0
10% to 20%	1.0
20.1 to 30%	1.25
30.1 to 40%	1.5
40.1 to 50%	1.75
>50%	2.0

Example Calculation Relative Change Scale

Baseline rate = 25% (Non-Hispanic White population) – 20% (population of interest) = 5% gap

Performance Period rate = 25% (Non-Hispanic White population) – 21% (population of interest) = 4% gap

Gap reduction from 5% to 4%, can be expressed as $(5-4)/5 = 0.20$ or a 20% net change (i.e., improvement)

Points earned for 20% net improvement on this measure = 1.0

Discrete Scale for Small Populations

If an MCO has less than (<) thirty (30) non-white enrollees in the denominator for a measure, then DHS will apply a discrete scale for the measure. Each measure stratified by race and ethnicity groups (Asian/Pacific Islander, Black, Hispanic, Native American, and Non-Hispanic White) shall be assessed against a baseline disparity gap with the Non-Hispanic White population. The discrete scale will be applied to the change in the numerator for the population of interest. The denominator in the baseline year determines how many points are available. If a measure qualifies for the discrete scale in one year and the relative change method in the other year, the discrete scale is applied.

Change in Numerator	Points Awarded
-20 to -29	-2.0
-10 to -19	-1.5
-1 to -9	-1.0
0	0
1 to 9	1.0
10 to 19	1.5
20 to 29	2.0

Example Calculation Discrete Scale

Baseline = Five (5) enrollees in population of interest screened
Performance Period = Seven (7) enrollees in population of interest screened
Gap improvement from Five (5) to Seven (7), net increase of Two (2)
Points earned for Two (2) more enrollees = 1.0

Calculation of the MCO's Score

The total points earned by the MCO for each measure will consist of the sum of the point calculations for the resulting change in each healthcare disparity gap between the reference group (Non-Hispanic White) and each race and ethnicity group as observed from the baseline to performance time periods.

Loss of Points

As noted in the points table, groups for which the healthcare disparity gap widens will result in the subtraction of points.

Points Earned

The MCO's overall performance score will be calculated by taking the sum total of earned points and dividing by the sum total points available (that is, a score of the percentage of points earned versus points available) for the performance period. Please take note, that in the relative change scale, 2 points are always available to the MCO. In the discrete scale, 2 points may not be available depending on the MCO's enrollee numbers in that racial or ethnic group on each measure. However, the sum of the total points available will take that into consideration in the overall performance score.

Measure Specification Changes

If a measure specification changes in a way that would make a year-to-year comparison invalid, such as a change in the clinical target value, then awarding points based on improvement will not be available for that measure. Detailed descriptions of each measure and statistical methods are provided in this STATE document titled "*2021 Quality Measures Technical Specifications.*" These specifications will be posted on the DHS Partners and Providers, Managed Care Organizations web site.

Breast Cancer Screening

The percentage of women 50–74 years of age who had a mammogram to screen for breast cancer.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO. Table below (and for each measure) needs to have detail by MCO and by contract for N, D, and rate for total population as well as each R&E category.

Measure: Breast Cancer Screening

Age: 52 to 74 years

See next page for table that provides the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	3,681	6,199	59.4%	2,905	4,795	60.6%	186	387	48.1%	68	176	38.6%	267	442	60.4%	129	208	62.0%
Blue Plus	Seniors	939	1,560	60.2%	742	1,221	60.8%	44	87	50.6%	10	25	40.0%	93	156	59.6%	44	59	74.6%
HealthPartners	F+C MA / MNCare	1,864	3,030	61.5%	1,192	2,001	59.6%	217	339	64.0%	45	76	59.2%	261	384	68.0%	84	121	69.4%
HealthPartners	SNBC	497	768	64.7%	391	601	65.1%	56	90	62.2%	16	32	50.0%	19	24	79.2%	14	18	77.8%
HealthPartners	Seniors	509	875	58.2%	226	396	57.1%	110	190	57.9%	15	27	55.6%	133	222	59.9%	26	40	65.0%
Hennepin Health	F+C MA / MNCare	188	386	48.7%	68	144	47.2%	87	157	55.4%	9	28	32.1%	13	29	44.8%	10	19	52.6%
Hennepin Health	SNBC	151	280	53.9%	31	69	44.9%	105	174	60.3%	6	15	40.0%	8	20	40.0%	<6	<6	66.7%
IMCare	F+C MA / MNCare	108	167	64.7%	99	154	64.3%	.	.	.	7	9	77.8%	.	.	.	<6	<6	0.0%
IMCare	Seniors	73	119	61.3%	68	112	60.7%	<6	<6	50.0%	<6	<6	80.0%
Medica	SNBC	1,086	3,029	35.9%	512	1,634	31.3%	406	956	42.5%	40	109	36.7%	97	240	40.4%	32	91	35.2%
Medica	Seniors	1,330	2,642	50.3%	829	1,663	49.8%	244	484	50.4%	35	78	44.9%	169	319	53.0%	51	87	58.6%
PrimeWest	F+C MA / MNCare	473	688	68.8%	417	604	69.0%	<6	<6	40.0%	27	42	64.3%	7	10	70.0%	10	15	66.7%
PrimeWest	SNBC	322	462	69.7%	276	391	70.6%	6	6	100.0%	31	56	55.4%	.	.	.	10	10	100.0%
PrimeWest	Seniors	215	367	58.6%	197	331	59.5%	<6	<6	50.0%	7	20	35.0%	<6	<6	50.0%	7	8	87.5%
SCHA	F+C MA / MNCare	454	728	62.4%	405	655	61.8%	<6	7	57.1%	9	16	56.3%	12	16	75.0%	10	14	71.4%
SCHA	SNBC	447	641	69.7%	407	581	70.1%	10	21	47.6%	7	9	77.8%	<6	<6	33.3%	21	26	80.8%
SCHA	Seniors	229	373	61.4%	210	341	61.6%	<6	10	40.0%	<6	<6	25.0%	<6	<6	80.0%	10	13	76.9%
UCare	F+C MA / MNCare	2,089	3,499	59.7%	1,318	2,153	61.2%	278	544	51.1%	50	99	50.5%	269	424	63.4%	100	152	65.8%
UCare	SNBC	3,558	6,024	59.1%	2,141	3,365	63.6%	763	1,456	52.4%	132	236	55.9%	423	823	51.4%	99	138	71.7%
UCare	Seniors	1,769	3,213	55.1%	914	1,472	62.1%	364	905	40.2%	25	46	54.3%	393	687	57.2%	69	92	75.0%

Colorectal Cancer Screening

The percentage of members 50–75 years of age who had appropriate screening for colorectal cancer.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO.

Measure: Colorectal Cancer Screening

Age: 51 to 75 years

See next page for table that provides the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	8,472	18,024	47.0%	6,714	13,918	48.2%	500	1,200	41.7%	196	473	41.4%	562	1,253	44.9%	262	551	47.5%
Blue Plus	SNBC	83	143	58.0%	62	108	57.4%	11	20	55.0%	5	8	62.5%	<6	6	66.7%	<6	<6	25.0%
Blue Plus	Seniors	1,283	2,321	55.3%	994	1,740	57.1%	56	146	38.4%	24	41	58.5%	131	256	51.2%	67	114	58.8%
HealthPartners	F+C MA / MNCare	4,739	9,229	51.3%	3,067	6,172	49.7%	610	1,116	54.7%	106	205	51.7%	640	1,055	60.7%	<6	<6	52.7%
HealthPartners	SNBC	944	1,623	58.2%	690	1,191	57.9%	165	261	63.2%	36	73	49.3%	34	61	55.7%	<6	<6	51.4%
HealthPartners	Seniors	887	1,438	61.7%	403	663	60.8%	<6	<6	64.2%	<6	<6	57.5%	229	367	62.4%	36	61	59.0%
Hennepin Health	F+C MA / MNCare	703	1,661	42.3%	295	722	40.9%	281	636	44.2%	43	134	32.1%	33	81	40.7%	43	74	58.1%
Hennepin Health	SNBC	425	738	57.6%	109	209	52.2%	276	455	60.7%	17	30	56.7%	16	32	50.0%	8	13	61.5%
Hennepin Health	Seniors	27	61	44.3%	9	20	45.0%	15	28	53.6%	0	<6	0.0%	<6	6	33.3%	<6	<6	25.0%
IMCare	F+C MA / MNCare	257	473	54.3%	240	439	54.7%	<6	<6		12	24	50.0%	<6	<6	50.0%	<6	4	25.0%
IMCare	SNBC	<6	7	57.1%	<6	7	57.1%
IMCare	Seniors	79	148	53.4%	74	138	53.6%	<6	<6	100.0%	<6	9	44.4%	<6	<6		.	.	.
Medica	SNBC	2,807	5,258	53.4%	1,485	2,826	52.5%	999	1,771	56.4%	76	155	49.0%	<6	<6	46.8%	83	150	55.3%
Medica	Seniors	1,839	3,257	56.5%	1,121	1,975	56.8%	<6	626	52.6%	<6	<6	56.2%	<6	<6	60.1%	77	126	61.1%
PrimeWest	F+C MA / MNCare	938	1,949	48.1%	842	1,739	48.4%	7	10	70.0%	48	111	43.2%	12	17	70.6%	15	29	51.7%
PrimeWest	SNBC	512	874	58.6%	439	748	58.7%	10	16	62.5%	52	91	57.1%	<6	<6	100.0%	11	17	64.7%
PrimeWest	Seniors	275	488	56.4%	243	428	56.8%	<6	<6	50.0%	17	35	48.6%	<6	<6	60.0%	8	11	72.7%
SCHA	F+C MA / MNCare	962	2,053	46.9%	873	1,845	47.3%	14	36	38.9%	16	37	43.2%	16	32	50.0%	27	48	56.3%
SCHA	SNBC	690	1,082	63.8%	629	985	63.9%	19	34	55.9%	13	16	81.3%	<6	8	62.5%	23	38	60.5%
SCHA	Seniors	306	556	55.0%	284	507	56.0%	<6	11	36.4%	<6	8	37.5%	<6	10	40.0%	11	18	61.1%
UCare	F+C MA / MNCare	5,224	10,826	48.3%	3,288	6,657	49.4%	765	1,829	41.8%	124	269	46.1%	643	1,214	53.0%	244	437	55.8%
UCare	SNBC	6,354	11,156	57.0%	3,863	6,376	60.6%	1,472	2,773	53.1%	239	404	59.2%	620	1,321	46.9%	150	271	55.4%
UCare	Seniors	2,490	4,545	54.8%	1,205	2,027	59.4%	592	1,324	44.7%	35	56	62.5%	563	980	57.4%	90	150	60.0%

Childhood Immunization Status (Combo 10)

The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (HepB), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and nine separate combination rates.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO.

Measure: Childhood Immunization Status (Combo 10)

Age: 2 years old

See next page for table that provides the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	2,570	6,290	40.9%	1,017	2,477	41.1%	339	1,149	29.5%	78	256	30.5%	273	531	51.4%	262	536	48.9%
HealthPartners	F+C MA / MNCare	1,218	2,533	48.1%	357	679	52.6%	235	664	35.4%	24	72	33.3%	123	227	54.2%	96	187	51.3%
Hennepin Health	F+C MA / MNCare	53	123	43.1%	<6	<6	66.7%	14	49	28.6%	<6	6	16.7%	<6	<6	100.0%	13	19	68.4%
IMCare	F+C MA / MNCare	42	121	34.7%	33	99	33.3%	<6	<6	50.0%	<6	9	44.4%	.	.	.	0	<6	0.0%
PrimeWest	F+C MA / MNCare	270	696	38.8%	176	411	42.8%	8	15	53.3%	31	104	29.8%	<6	<6	75.0%	21	63	33.3%
SCHA	F+C MA / MNCare	290	578	50.2%	189	362	52.2%	13	28	46.4%	<6	11	9.1%	<6	8	25.0%	32	63	50.8%
UCare	F+C MA / MNCare	1,938	4,823	40.2%	512	1,116	45.9%	368	1,433	25.7%	56	142	39.4%	168	412	40.8%	<6	<6	54.4%

Well Child Visits in First 30 Months (W30)

The percentage of members who turned 30 months old during the measurement year and who had the following number of well child visits with a PCP during their first 30 months of life: 0 – 6 or more visits. DHS will apply the W30 HEDIS technical specifications to the baseline 2019 data to calculate the rates for this measure.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates will be calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The tables on the next pages that provide the baseline year rate for each MCO.

Measure Name: Well Child Visits in First 15 Months—6 or more visits, W15 Sub-measure

Age: 0 to 15 months

MCO	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	3,299	5,448	60.6%	1,103	1,795	61.4%	525	961	54.6%	93	188	49.5%	276	453	60.9%	314	509	61.7%
HealthPartners	1,694	2,466	68.7%	323	450	71.8%	376	586	64.2%	26	53	49.1%	129	192	67.2%	133	179	74.3%
Hennepin Health	89	154	57.8%	<6	<6	75.0%	22	46	47.8%	<6	8	37.5%	.	.	.	13	24	54.2%
IMCare	47	73	64.4%	34	53	64.2%	<6	<6	100.0%	9	13	69.2%	0	<6	0.0%	.	.	.
PrimeWest	383	644	59.5%	200	317	63.1%	8	11	72.7%	39	99	39.4%	<6	<6	75.0%	46	74	62.2%
SCHA	169	314	53.8%	72	132	54.5%	7	24	29.2%	<6	<6	40.0%	0	<6	0.0%	23	41	56.1%
UCare	2,785	4,702	59.2%	618	965	64.0%	595	1,243	47.9%	50	104	48.1%	193	321	60.1%	341	507	67.3%

Measure Name: Well Child Visits in First 30 Months of Life (2 or more visits), Sub-measure W30

Age: 15 to 30 months

MCO	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	4,165	5,726	72.7%	1,771	2,410	73.5%	744	1,059	70.3%	141	249	56.6%	422	541	78.0%	342	469	72.9%
HealthPartners	1,676	2,128	78.8%	472	584	80.8%	419	580	72.2%	64	84	76.2%	174	220	79.1%	145	186	78.0%
Hennepin Health	71	107	66.4%	<6	<6	100.0%	20	37	54.1%	6	10	60.0%	4	5	80.0%	18	23	78.3%
IMCare	55	91	60.4%	39	66	59.1%	<6	<6	100.0%	7	10	70.0%	<6	<6	100.0%	0	<6	0.0%
PrimeWest	468	656	71.3%	285	386	73.8%	14	15	93.3%	43	86	50.0%	<6	<6	66.7%	50	64	78.1%
SCHA	260	342	76.0%	158	200	79.0%	12	21	57.1%	<6	<6	66.7%	<6	<6	66.7%	27	43	62.8%
UCare	3,054	4,260	71.7%	832	1,113	74.8%	921	1,358	67.8%	79	123	64.2%	262	372	70.4%	386	487	79.3%

Child & Adolescent Well Visits (WCV)

The percentage of members 3 - 21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year. DHS will apply the Child and Adolescent Well-Care Visits (WCV) HEDIS technical specifications to the baseline 2019 data to calculate the rates for this measure.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates will be calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page that provides the baseline year rate for each MCO.

Measure: Well Child Visits (1 or more visits)

Age: 3 to 21 years

MCO	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	57,027	114,502	49.8%	26,987	58,177	46.4%	12,083	21,546	56.1%	2,523	5,959	42.3%	6,233	12,306	50.7%	7,572	14,107	53.7%
HealthPartners	26,536	46,592	57.0%	8,341	15,481	53.9%	9,066	15,815	57.3%	1,060	2154	49.2%	3,450	5,872	58.8%	3,960	6,524	60.7%
Hennepin Health	1,501	2,860	52.5%	94	214	43.9%	485	1,104	43.9%	111	247	44.9%	61	132	46.2%	751	1,172	64.1%
IMCare	980	2,412	40.6%	794	1,936	41.0%	23	62	37.1%	104	279	37.3%	8	25	32.0%	24	66	36.4%
PrimeWest	5,786	12,800	45.2%	3,984	8,857	45.0%	246	470	52.3%	644	1742	37.0%	74	140	52.9%	695	1318	52.7%
SCHA	5,202	11,694	44.5%	3,870	8,723	44.4%	345	838	41.2%	97	235	41.3%	79	181	43.6%	655	1441	45.5%
UCare	45,602	85,143	53.6%	10,961	22,789	48.1%	18,039	33,470	53.9%	1,599	3291	48.6%	4,870	9471	51.4%	9,150	14,832	61.7%

Comprehensive Diabetes Care: HbA1c Screening

The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had Hemoglobin A1c (HbA1c) testing.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO.

Measure: Comprehensive Diabetes Care -- HbA1c Screening

Age: 18 to 75 years

See below and next page for table that provides the baseline year rate for each MCO.

MCO	Contract	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
		All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	6,415	7,262	88.3%	4,056	4,533	89.5%	833	958	87.0%	386	465	83.0%	548	624	87.8%	448	523	85.7%
Blue Plus	Seniors	814	895	90.9%	547	606	90.3%	69	75	92.0%	18	25	72.0%	93	97	95.9%	81	86	94.2%
HealthPartners	F+C MA / MNCare	3,097	3,426	90.4%	1,486	1,632	91.1%	728	826	88.1%	147	172	85.5%	448	484	92.6%	219	241	90.9%
HealthPartners	SNBC	963	1,052	91.5%	620	679	91.3%	202	216	93.5%	68	78	87.2%	38	41	92.7%	35	38	92.1%
HealthPartners	Seniors	557	615	90.6%	178	201	88.6%	152	163	93.3%	17	18	94.4%	176	195	90.3%	30	33	90.9%
Hennepin Health	F+C MA / MNCare	586	675	86.8%	154	170	90.6%	267	304	87.8%	80	102	78.4%	32	38	84.2%	51	56	91.1%
Hennepin Health	SNBC	333	383	86.9%	75	91	82.4%	226	254	89.0%	15	20	75.0%	10	11	90.9%	7	8	87.5%

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
IMCare	F+C MA / MNCare	180	200	90.0%	146	161	90.7%	<6	<6	100.0%	30	35	85.7%	<6	<6	100.0%			
IMCare	Seniors	53	58	91.4%	49	54	90.7%	<6	<6	100.0%	<6	<6	100.0%						
Medica	F+C MA / MNCare	2	2	100.0%										2	2	100.0%			
Medica	SNBC	1,868	2,655	70.4%	803	1,218	65.9%	739	1,003	73.7%	92	121	76.0%	156	209	74.6%	80	111	72.1%
Medica	Seniors	1,185	1,419	83.5%	607	736	82.5%	266	319	83.4%	42	51	82.4%	202	233	86.7%	69	81	85.2%
PrimeWest	F+C MA / MNCare	694	822	84.4%	538	599	89.8%	<6	<6	100.0%	98	160	61.3%	9	10	90.0%	38	42	90.5%
PrimeWest	SNBC	394	445	88.5%	316	343	92.1%	13	13	100.0%	51	75	68.0%	<6	<6	100.0%	14	15	93.3%
PrimeWest	Seniors	176	203	86.7%	153	170	90.0%	<6	<6	100.0%	11	21	52.4%	<6	<6	100.0%	7	7	100.0%
SCHA	F+C MA / MNCare	676	755	89.5%	562	621	90.5%	<6	30	83.3%	14	16	87.5%	15	19	78.9%	50	58	86.2%
SCHA	SNBC	542	593	91.4%	468	511	91.6%	26	27	96.3%	8	8	100.0%	<6	<6	71.4%	35	40	87.5%
SCHA	Seniors	190	207	91.8%	164	179	91.6%	<6	<6	66.7%	<6	<6	100.0%	<6	<6	100.0%	16	17	94.1%
UCare	F+C MA / MNCare	4,633	5,287	87.6%	1,989	2,226	89.4%	1,318	1,549	85.1%	219	265	82.6%	615	682	90.2%	381	436	87.4%
UCare	SNBC	5,539	6,271	88.3%	2,861	3,241	88.3%	1,512	1,721	87.9%	271	318	85.2%	655	730	89.7%	236	260	90.8%
UCare	Seniors	1,909	2,076	92.0%	733	793	92.4%	572	626	91.4%	27	29	93.1%	471	516	91.3%	106	110	96.4%

Asthma Medication Ratio

The percentage of members 5–64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO.

Measure: Asthma Medication Ratio

Age: 5 to 64 years

See next page for table that provides the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	1,993	3,378	59.0%	1,319	2,200	60.0%	285	513	55.6%	101	207	48.8%	98	156	62.8%	179	294	60.9%
HealthPartners	F+C MA / MNCare	686	1,533	44.7%	387	809	47.8%	175	450	38.9%	19	70	27.1%	59	98	60.2%	49	105	46.7%
HealthPartners	SNBC	32	80	40.0%	23	52	44.2%	6	20	30.0%	<6	<6	50.0%	<6	<6	50.0%	0	<6	0.0%
Hennepin Health	F+C MA / MNCare	94	205	45.9%	32	63	50.8%	36	89	40.4%	12	32	37.5%	<6	6	50.0%	12	19	63.2%
Hennepin Health	SNBC	17	37	45.9%	<6	8	50.0%	9	25	36.0%	<6	<6	100.0%	<6	<6	100.0%	0	<6	0.0%
IMCare	F+C MA / MNCare	39	61	63.9%	35	55	63.6%	0	<6	0.0%	<6	<6	100.0%
Medica	SNBC	148	252	58.7%	78	116	67.2%	53	108	49.1%	<6	6	33.3%	6	12	50.0%	9	11	81.8%
PrimeWest	F+C MA / MNCare	231	347	66.6%	179	274	65.3%	12	16	75.0%	24	38	63.2%	<6	<6	100.0%	10	14	71.4%
PrimeWest	SNBC	20	29	69.0%	18	24	75.0%	<6	<6	0.0%	<6	<6	66.7%
SCHA	SNBC	24	43	55.8%	24	37	64.9%	0	<6	0.0%	0	<6	0.0%	.	.	.	0	<6	0.0%
UCare	F+C MA / MNCare	1,175	2,492	47.2%	569	1,102	51.6%	342	845	40.5%	70	143	49.0%	75	133	56.4%	121	277	43.7%
UCare	SNBC	333	670	49.7%	172	312	55.1%	<6	<6	40.8%	8	25	32.0%	42	72	58.3%	13	21	61.9%

Follow-up after Hospitalization for Mental Illness

The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health practitioner. Two rates are reported:

The percentage of discharges for which the member received follow-up within 30 days after discharge.

The percentage of discharges for which the member received follow-up within 7 days after discharge.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The tables on the next pages that provide the baseline year rate for each MCO.

Measure: Follow-up After Hospitalization for Mental Illness (30-day) Age: 6 years and older

MCO	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	1,869	2,849	65.6%	1,232	1,805	68.3%	207	356	58.1%	191	318	60.1%	69	116	59.5%	183	277	66.1%
HealthPartners	757	1,061	71.3%	434	585	74.2%	153	235	65.1%	60	90	66.7%	41	56	73.2%	84	118	71.2%
HealthPartners	249	363	68.6%	165	246	67.1%	42	62	67.7%	17	25	68.0%	16	18	88.9%	<6	7	57.1%
Hennepin Health	165	301	54.8%	85	126	67.5%	50	105	47.6%	21	52	40.4%	<6	7	42.9%	9	14	64.3%
Hennepin Health	51	86	59.3%	17	29	58.6%	23	43	53.5%	<6	6	50.0%	<6	<6	100.0%	<6	<6	100.0%
IMCare	43	65	66.2%	30	43	69.8%	<6	<6	33.3%	12	19	63.2%	.	.	.	0	<6	0.0%
Medica	388	539	72.0%	264	337	78.3%	87	153	56.9%	14	18	77.8%	11	16	68.8%	15	18	83.3%
PrimeWest	247	369	66.9%	155	207	74.9%	9	19	47.4%	63	119	52.9%	<6	<6	75.0%	21	28	75.0%
PrimeWest	67	92	72.8%	54	69	78.3%	<6	<6	100.0%	<6	<6	52.9%	<6	<6	100.0%	<6	<6	50.0%
SCHA	197	276	71.4%	157	221	71.0%	12	17	70.6%	5	11	45.5%	0	1	0.0%	24	28	85.7%
SCHA	68	97	70.1%	59	80	73.8%	<6	<6	60.0%	<6	6	50.0%	<6	<6	100.0%	0	<6	0.0%
UCare	1,159	1,737	66.7%	645	930	69.4%	246	405	60.7%	90	154	58.4%	66	90	73.3%	128	193	66.3%
UCare	1,082	1,593	67.9%	737	992	74.3%	<6	<6	52.7%	58	99	58.6%	40	50	80.0%	38	56	67.9%

Measure: Follow-up After Hospitalization for Mental Illness (7-day) Age: 6 years and older

MCO	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	1,126	2,849	39.5%	739	1,805	40.9%	120	356	33.7%	109	318	34.3%	46	116	39.7%	113	277	40.8%
HealthPartners	472	1,061	44.5%	281	585	48.0%	85	235	36.2%	35	90	38.9%	25	56	44.6%	54	118	45.8%
HealthPartners	144	363	39.7%	102	246	41.5%	25	62	40.3%	6	25	24.0%	6	18	33.3%	<6	7	42.9%
Hennepin Health	84	301	27.9%	44	126	34.9%	27	105	25.7%	9	52	17.3%	<6	7	28.6%	<6	14	28.6%
Hennepin Health	18	86	20.9%	<6	29	13.8%	9	43	20.9%	<6	6	16.7%	0	<6	0.0%	<6	<6	20.0%
IMCare	19	65	29.2%	13	43	30.2%	<6	<6	33.3%	<6	19	26.3%	.	.	.	0	<6	0.0%
Medica	204	539	37.8%	140	337	41.5%	46	153	30.1%	7	18	38.9%	5	16	31.3%	8	18	44.4%
PrimeWest	150	369	40.7%	93	207	44.9%	<6	19	21.1%	43	119	36.1%	<6	<6	75.0%	11	28	39.3%
PrimeWest	40	92	43.5%	34	69	49.3%	<6	<6	100.0%	<6	<6	17.6%	<6	<6	50.0%	<6	<6	50.0%
SCHA	107	276	38.8%	89	221	40.3%	3	17	17.6%	<4	11	36.4%	0	1	0.0%	11	28	39.3%
SCHA	41	97	42.3%	33	80	41.3%	<6	<6	40.0%	<6	6	50.0%	<6	<6	100.0%	0	<6	0.0%
UCare	670	1,737	38.6%	376	930	40.4%	132	405	32.6%	51	154	33.1%	38	90	42.2%	85	193	44.0%
UCare	608	1,593	38.2%	430	992	43.3%	<6	<6	26.4%	29	99	29.3%	22	50	44.0%	26	56	46.4%

Initiation and Engagement of Alcohol, Opioids, and Other Drug Dependence Treatment

The percentage of adolescent and adult members with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following.

Initiation of AOD Treatment. The percentage of members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth or medication treatment within 14 days of the diagnosis.

Engagement of AOD Treatment. The percentage of members who initiated treatment and who had two or more additional AOD services or medication treatment within 34 days of the initiation visit.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO.

Measure: Initiation of Alcohol, Opioids, and Other Drug Dependence Treatment **Age: 13 years and older**

See next page for table that provides the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	3,314	9,694	34.2%	2,193	6,601	33.2%	374	1,127	33.2%	470	1,133	41.5%	88	258	34.1%	222	641	34.6%
Blue Plus	Seniors	66	224	29.5%	54	181	29.8%	6	17	35.3%	<6	8	37.5%	0	9	0.0%	<6	8	37.5%
HealthPartners	F+C MA / MNCare	1,245	3,746	33.2%	783	2,308	33.9%	226	769	29.4%	134	353	38.0%	28	108	25.9%	85	243	35.0%
HealthPartners	SNBC	194	618	31.4%	116	416	27.9%	56	142	39.4%	16	42	38.1%	<6	<6	100.0%	<6	18	16.7%
HealthPartners	Seniors	47	131	35.9%	32	84	38.1%	9	27	33.3%	<6	7	14.3%	<6	7	42.9%	<6	<6	25.0%
Hennepin Health	F+C MA / MNCare	610	1,674	36.4%	184	534	34.5%	257	751	34.2%	138	295	46.8%	9	26	34.6%	43	107	40.2%
Hennepin Health	SNBC	123	373	33.0%	22	73	30.1%	84	260	32.3%	10	25	40.0%	<6	7	28.6%	6	12	50.0%
IMCare	F+C MA / MNCare	88	267	33.0%	66	206	32.0%	0	8	0.0%	22	50	44.0%	.	.	.	0	<6	0.0%
IMCare	Seniors	<6	14	28.6%	<6	10	40.0%	<6	<6	0.0%	<6	<6	0.0%
Medica	SNBC	434	1,336	32.5%	220	609	36.1%	187	602	31.1%	18	75	24.0%	<6	19	15.8%	6	35	17.1%
Medica	Seniors	123	356	34.6%	94	247	38.1%	20	72	27.8%	<6	19	10.5%	<6	<6	20.0%	<6	11	45.5%
PrimeWest	F+C MA / MNCare	442	1,135	38.9%	256	698	36.7%	<6	<6	39.1%	160	367	43.6%	<6	6	16.7%	23	49	46.9%
PrimeWest	SNBC	79	219	36.1%	55	165	33.3%	<6	<6	100.0%	17	45	37.8%	<6	<6	100.0%	<6	<6	50.0%
PrimeWest	Seniors	13	46	28.3%	12	41	29.3%	<6	<6	0.0%	<6	<6	33.3%	<6	<6	0.0%	0	<6	0.0%
SCHA	F+C MA / MNCare	339	889	38.1%	284	741	38.3%	<6	44	38.6%	11	38	28.9%	<6	9	11.1%	25	59	42.4%
SCHA	SNBC	87	274	31.8%	73	235	31.1%	5	15	33.3%	<6	7	28.6%	<6	<6	0.0%	7	15	46.7%
SCHA	Seniors	25	64	39.1%	24	61	39.3%	.	.	.	<6	<6	0.0%	<6	<6	0.0%	<6	<6	100.0%
UCare	F+C MA / MNCare	2,068	6,025	34.3%	1,204	3,560	33.8%	438	1,294	33.8%	236	616	38.3%	63	174	36.2%	148	460	32.2%
UCare	SNBC	1,033	3,214	32.1%	624	1,935	32.2%	308	947	32.5%	68	199	34.2%	9	50	18.0%	32	92	34.8%
UCare	Seniors	145	389	37.3%	92	259	35.5%	39	93	41.9%	<6	13	15.4%	7	15	46.7%	<6	9	44.4%

Measure: Engagement of Alcohol, Opioids, and Other Drug Dependence Treatment Age: 13 years and older

See next page for table that provides the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	1,409	9,694	14.5%	936	6,601	14.2%	146	1,127	13.0%	198	1,133	17.5%	44	258	17.1%	103	641	16.1%
Blue Plus	Seniors	6	224	2.7%	<6	181	2.8%	0	17	0.0%	<6	8	12.5%	0	9	0.0%	0	8	0.0%
HealthPartners	F+C MA / MNCare	482	3,746	12.9%	304	2,308	13.2%	80	769	10.4%	60	353	17.0%	9	108	8.3%	32	243	13.2%
HealthPartners	SNBC	44	618	7.1%	27	416	6.5%	13	142	9.2%	<6	42	9.5%	0	<6	0.0%	0	18	0.0%
HealthPartners	Seniors	5	131	3.8%	<6	84	2.4%	<6	27	7.4%	0	7	0.0%	<6	7	14.3%	0	<6	0.0%
Hennepin Health	F+C MA / MNCare	243	1,674	14.5%	61	534	11.4%	118	751	15.7%	53	295	18.0%	<6	26	7.7%	20	107	18.7%
Hennepin Health	SNBC	31	373	8.3%	6	73	8.2%	25	260	9.6%	0	25	0.0%	0	7	0.0%	0	12	0.0%
IMCare	F+C MA / MNCare	33	267	12.4%	29	206	14.1%	0	8	0.0%	<6	50	8.0%	.	.	.	0	<6	0.0%
IMCare	Seniors	<6	14	7.1%	<6	10	10.0%	<6	<6	0.0%	<6	<6	0.0%
Medica	SNBC	80	1,336	6.0%	32	609	5.3%	39	602	6.5%	6	75	8.0%	<6	19	10.5%	<6	35	5.7%
Medica	Seniors	14	356	3.9%	10	247	4.0%	<6	72	1.4%	0	19	0.0%	0	<6	0.0%	<6	11	27.3%
PrimeWest	F+C MA / MNCare	155	1,135	13.7%	90	698	12.9%	<6	<6	17.4%	53	367	14.4%	<6	6	16.7%	8	49	16.3%
PrimeWest	SNBC	18	219	8.2%	13	165	7.9%	<6	<6	60.0%	<6	45	4.4%	0	<6	0.0%	0	<6	0.0%
PrimeWest	Seniors	<6	46	4.3%	<6	41	2.4%	<6	<6	0.0%	<6	<6	33.3%	<6	<6	0.0%	0	<6	0.0%
SCHA	F+C MA / MNCare	152	889	17.1%	126	741	17.0%	<6	44	15.9%	6	38	15.8%	<6	9	11.1%	11	59	18.6%
SCHA	SNBC	28	274	10.2%	25	235	10.6%	0	15	0.0%	<6	7	28.6%	<6	<6	0.0%	<6	15	6.7%
SCHA	Seniors	<6	64	3.1%	<6	61	3.3%	.	.	.	<6	<6	0.0%	<6	<6	0.0%	0	<6	0.0%
UCare	F+C MA / MNCare	815	6,025	13.5%	467	3,560	13.1%	167	1,294	12.9%	104	616	16.9%	26	174	14.9%	64	460	13.9%
UCare	SNBC	259	3,214	8.1%	153	1,935	7.9%	82	947	8.7%	16	199	8.0%	<6	50	4.0%	8	92	8.7%
UCare	Seniors	13	389	3.3%	8	259	3.1%	<6	93	4.3%	0	13	0.0%	<6	15	6.7%	0	9	0.0%

Antidepressant Medication Management: Acute Phase and Continuation Phase

The percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment. Two rates are reported:

Effective Acute Phase Treatment. The percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks).

Effective Continuation Phase Treatment. The percentage of members who remained on an antidepressant medication for at least 180 days (6 months).

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table on the next page provides the baseline year rate for each MCO.

Measure: Antidepressant Medication Management -- Acute Phase Age: 18 years and older

See next pages for tables that provide the baseline year rate for each MCO.

		All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
MCO	Contract	All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	4,271	7,292	58.6%	3,202	5,163	62.0%	330	734	45.0%	252	518	48.6%	202	355	56.9%	265	499	53.1%
Blue Plus	Seniors	222	302	73.5%	185	246	75.2%	7	7	100.0%	<6	6	66.7%	15	27	55.6%	7	11	63.6%
HealthPartners	F+C MA / MNCare	1,737	3,052	56.9%	1,159	1,883	61.6%	249	573	43.5%	101	198	51.0%	92	159	57.9%	132	252	52.4%
HealthPartners	SNBC	181	354	51.1%	114	208	54.8%	41	87	47.1%	6	21	28.6%	11	18	61.1%	7	17	41.2%
HealthPartners	Seniors	104	144	72.2%	55	72	76.4%	16	22	72.7%	<6	<6	50.0%	27	38	71.1%	<6	8	50.0%
Hennepin Health	F+C MA / MNCare	395	753	52.5%	171	276	62.0%	<6	<6	45.3%	<6	<6	51.9%	12	21	57.1%	21	50	42.0%
Hennepin Health	SNBC	81	151	53.6%	15	25	60.0%	55	112	49.1%	6	8	75.0%	1	2	50.0%	6	6	100.0%
IMCare	F+C MA / MNCare	116	177	65.5%	96	145	66.2%	<6	<6	100.0%	15	24	62.5%	<6	<6	50.0%	<6	<6	33.3%
IMCare	Seniors	15	15	100.0%	14	14	100.0%
Medica	SNBC	569	896	63.5%	285	416	68.5%	211	362	58.3%	25	50	50.0%	26	39	66.7%	20	31	64.5%
Medica	Seniors	1,230	1,383	88.9%	991	1,091	90.8%	<6	<6	80.8%	25	29	86.2%	<6	<6	81.3%	32	43	74.4%
PrimeWest	F+C MA / MNCare	431	762	56.6%	338	575	58.8%	<6	15	33.3%	70	130	53.8%	<6	7	57.1%	12	33	36.4%
PrimeWest	SNBC	47	83	56.6%	36	71	50.7%	<6	<6	100.0%	6	7	85.7%	<6	<6	.	<6	<6	100.0%
PrimeWest	Seniors	27	36	75.0%	25	34	73.5%	.	.	.	<6	<6	100.0%	<6	<6	100.0%	.	.	.
SCHA	F+C MA / MNCare	446	752	59.3%	395	655	60.3%	11	24	45.8%	14	23	60.9%	<6	6	66.7%	21	44	47.7%
SCHA	SNBC	92	149	61.7%	85	134	63.4%	0	<6	0.0%	<6	<6	75.0%	.	.	.	<6	8	50.0%
SCHA	Seniors	69	81	85.2%	63	74	85.1%	.	.	.	<6	<6	100.0%	.	.	.	<6	<6	80.0%
UCare	F+C MA / MNCare	3,149	4,723	66.7%	1,925	2,693	71.5%	558	988	56.5%	231	374	61.8%	207	305	67.9%	247	393	62.8%
UCare	SNBC	1,286	2,054	62.6%	716	1,116	64.2%	335	568	59.0%	51	92	55.4%	139	210	66.2%	40	67	59.7%
UCare	Seniors	478	621	77.0%	280	334	83.8%	79	131	60.3%	<6	<6	100.0%	91	119	76.5%	22	31	71.0%

Measure: Antidepressant Medication Management -- Continuation Phase Age: 18 years and older

MCO	Contract	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
		All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
Blue Plus	F+C MA / MNCare	3,285	7,292	45.0%	2,499	5,163	48.4%	247	734	33.7%	183	518	35.3%	143	355	40.3%	194	499	38.9%
Blue Plus	Seniors	206	302	68.2%	173	246	70.3%	6	7	85.7%	<6	6	66.7%	12	27	44.4%	7	11	63.6%
HealthPartners	F+C MA / MNCare	1,336	3,052	43.8%	932	1,883	49.5%	156	573	27.2%	78	198	39.4%	73	159	45.9%	96	252	38.1%
HealthPartners	SNBC	122	354	34.5%	75	208	36.1%	32	87	36.8%	<6	21	9.5%	6	18	33.3%	<6	17	29.4%
HealthPartners	Seniors	92	144	63.9%	48	72	66.7%	15	22	68.2%	<6	<6	50.0%	22	38	57.9%	<6	8	62.5%
Hennepin Health	F+C MA / MNCare	304	753	40.4%	141	276	51.1%	<6	<6	32.4%	<6	<6	38.9%	8	21	38.1%	13	50	26.0%
Hennepin Health	SNBC	56	151	37.1%	8	25	32.0%	39	112	34.8%	<6	8	62.5%	<6	<6	50.0%	<6	6	66.7%
IMCare	F+C MA / MNCare	80	177	45.2%	66	145	45.5%	<6	<6	66.7%	10	24	41.7%	<6	<6	50.0%	<6	<6	33.3%
IMCare	Seniors	15	15	100.0%	14	14	100.0%
Medica	SNBC	445	896	49.7%	234	416	56.3%	156	362	43.1%	20	50	40.0%	19	39	48.7%	16	31	51.6%
Medica	Seniors	1,155	1,383	83.5%	950	1,091	87.1%	<6	<6	65.4%	22	29	75.9%	<6	<6	74.7%	26	43	60.5%
PrimeWest	F+C MA / MNCare	338	762	44.4%	270	575	47.0%	<6	15	33.3%	51	130	39.2%	<6	7	42.9%	6	33	18.2%
PrimeWest	SNBC	36	83	43.4%	30	71	42.3%	<6	<6	50.0%	<6	7	42.9%	<6	<6	.	<6	<6	50.0%
PrimeWest	Seniors	24	36	66.7%	22	34	64.7%	.	.	.	<6	<6	100.0%	<6	<6	100.0%	.	.	.
SCHA	F+C MA / MNCare	350	752	46.5%	307	655	46.9%	7	24	29.2%	12	23	52.2%	<6	6	66.7%	19	44	43.2%
SCHA	SNBC	72	149	48.3%	65	134	48.5%	0	<6	0.0%	<6	<6	75.0%	.	.	.	<6	8	50.0%
SCHA	Seniors	60	81	74.1%	54	74	73.0%	.	.	.	<6	<6	100.0%	.	.	.	<6	<6	80.0%
UCare	F+C MA / MNCare	2,464	4,723	52.2%	1,558	2,693	57.9%	392	988	39.7%	182	374	48.7%	158	305	51.8%	190	393	48.3%
UCare	SNBC	1,014	2,054	49.4%	576	1,116	51.6%	253	568	44.5%	45	92	48.9%	102	210	48.6%	32	67	47.8%
UCare	Seniors	402	621	64.7%	247	334	74.0%	53	131	40.5%	<6	<6	100.0%	75	119	63.0%	20	31	64.5%

Plan All-Cause Readmissions: 1 to 3 Index Hospital Stays

For members 18 years of age and older, the number of acute inpatient stays during the measurement year that were followed by an unplanned acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission. Data are reported in the following categories:

- Count of Index Hospital Stays (IHS) (denominator)
- Count of Observed 30-Day Readmissions (numerator)
- Count of Expected 30-Day Readmissions

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table below provides the baseline year rate for each MCO.

Measure: Plan All-Cause Readmissions Age: 18 to 64 years

MCO	Contract	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
		All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
HealthPartners	SNBC	117	973	12.0%	67	655	10.2%	29	197	14.7%	9	69	13.0%	8	27	29.6%	<6	23	13.0%
Hennepin Health	SNBC	37	366	10.1%	11	121	9.1%	16	193	8.3%	<6	35	14.3%	<6	8	25.0%	<6	11	27.3%
Medica	SNBC	125	2,268	5.5%	56	1,228	4.6%	51	777	6.6%	13	118	11.0%	<6	72	5.6%	<6	78	3.8%
PrimeWest	SNBC	40	352	11.4%	30	283	10.6%	0	6	0.0%	10	56	17.9%	0	<6	0.0%	0	6	0.0%
SCHA	SNBC	59	455	13.0%	50	398	12.6%	<6	21	9.5%	<6	6	33.3%	<6	10	10.0%	<6	20	20.0%
UCare	SNBC	532	4,879	10.9%	323	2,956	10.9%	136	1,221	11.1%	25	280	8.9%	29	264	11.0%	27	179	15.1%

Ambulatory Care: Emergency Department

This measure summarizes utilization of ambulatory care in the following category: Emergency Department (ED) Visits.

Baseline Year Rate Calculation

The MCOs' calendar year 2019 baseline year rates were calculated (and de-duplicated to remove potential multiple PMIs) as of Dec. 1, 2020.

The table below provides the baseline year rate for each MCO.

Measure: Ambulatory Care: Emergency Department Age: All

MCO	Contract	All Population by MCO			NH White Population			Black Population			Native American Population			Asian / Pacific Islander Population			Hispanic Population		
		All Population by MCO: Num	All Population by MCO: Denom	All Population by MCO: Rate(%)	NH White: Num	NH White: Denom	NH White: Rate(%)	Black: Num	Black: Denom	Black: Rate(%)	Native American: Num	Native American: Denom	Native American: Rate(%)	Asian / PI: Num	Asian / PI: Denom	Asian / PI: Rate(%)	Hispanic: Num	Hispanic: Denom	Hispanic: Rate(%)
HealthPartners	SNBC	7,670	77,053	99.5	5,065	52,128	97.2	1,676	14,264	117.5	596	4,387	135.9	130	3,312	39.3	262	2,633	99.5
Hennepin Health	SNBC	3,519	25,337	138.9	631	7,526	83.8	2,504	15,008	166.8	310	1,223	253.5	26	1,019	25.5	72	669	107.6
Medica	SNBC	14,006	154,379	90.7	6,291	82,421	76.3	6,137	51,388	119.4	808	5,256	153.7	304	9,384	32.4	557	5,716	97.4
PrimeWest	SNBC	2,616	29,586	88.4	1,979	24,292	81.5	90	836	107.7	479	3,484	137.5	<6	163	12.3	80	701	114.1
SCHA	SNBC	3,633	38,536	94.3	3,150	34,107	92.4	181	1,487	121.7	85	796	106.8	23	399	57.6	198	1,675	118.2
UCare	SNBC	37,431	388,273	96.4	21,351	233,764	91.3	11,432	91,939	124.3	2,330	16,413	142.0	1,199	33,462	35.8	1,250	12,131	103.0

Note: Denominator is person-months.